# CO/ONY



# BEC BRITTAIN Aries IV.I

### Standard Materials:

Aluminum and Glass Prisms

#### Dimensions:

24.5"ø x 11"H

#### Weight:


2.5lbs


#### Lead Time:


14 - 16 weeks


#### LED Illumination:

24 VDC LED PCB 0 - 10V Dimming 2700 Kelvin









## CO/ONY

#### Electrical:

9.8 Watt 1176 Lumens 110 - 240 VAC 277 VAC upon request

#### Standard Installation:

Locally Mounted Driver 120V Dimming: C-L (Lutron) switching 240V Dimming: 0-10V wireless (Lutron Pico) 9.25"ø Canopy, matching finish

#### Alternate Installation:

Remotely Mounted Driver 120V Dimming: C-L (Lutron) switching 240V Dimming: 0-10V hardwired 5"ø Canopy, matching finish

#### Suspension:

One 24V low voltage power / suspension cable to electrical connection. Aircraft cable to ceiling-mounted adjustable fasteners. Variable suspension height.

Please inquire for detailed electrical specs. ETL listed to UL, CE and CSA standards, suitable for damp locations.

# CO/ONY

## **BEC BRITTAIN**

## Materials & Finishes

Custom materials & finishes matching available

#### STANDARD METAL FINISHES



**Brushed Brass** 



Nickel Brass Contrast



Bronze



Satin Nickel

#### Special Order Finishes



Polished Copper



Polished Nickel



Dark Pewter



Polished Black Nickel



Polished Bass